




# SEA BOX<sup>®</sup>

## 20' x 8' Mobile Machine Shop



**SB866-0-PLSMMS**  
 20' x 8' Mobile Machine Shop

### PRODUCT FEATURES

#### STANDARD FEATURES (MILL)

- 120/208 Volt, 200 Amp, 3-Phase, electrical service (Selectable: Generator or Shore Power)
- 120/208 Volt, 100 Amp, 3-Phase output Haas TM-1 Mill
- PLS Rails with Bale Bar
- Unist Lubricating System
- Automatic Blackout Lighting
- High Capacity Shelving/Locking Drawers
- Mill Specific Machining Tools
- Sturdy Workbench with Vise
- Roof Access Ladder
- Anti-Fatigue Mat
- Communications I/O Panel (Includes: RJ45, RJ11, DB9, BNC and Binding Posts)
- Weather Proof Butting Kit to Lathe Container
- 16" diameter air ducts
- Rapid Deployment

#### OPTIONAL FEATURES (MILL)

- 120/208 Volt, 100 Amp, 3-Phase, 30 KW Generator

#### STANDARD FEATURES (LATHE)

- 120/208 Volt, 100 Amp, 3-Phase, electrical service
- Haas TM-1 Lathe
- PLS Rails with Bale Bar
- Oil Free Scroll Air Compressor
- Unist Lubricating System
- Automatic Blackout Lighting
- High Capacity Leveling Jacks
- High Capacity Shelving/Locking Drawers
- Lathe Specific Machining Tools
- Sturdy Workbench with Hydraulic Press and Bench Grinder
- External Folding Work Table
- Roof Access Ladder
- Anti-Fatigue Mat
- Communications I/O Panel (Includes: RJ45, RJ11, DB9, BNC and Binding Posts)
- Weather Proof Butting Kit to Lathe Container
- 16" diameter air ducts
- Rapid Deployment

#### OPTIONAL FEATURES (LATHE)

- 5 Ton Environmental Control Unit (ECU)

### ALL NEW CONTAINERS ARE MANUFACTURED TO THE LATEST ISO STANDARD

Dimension for (1) 20' Container	LENGTH		HEIGHT		WIDTH		REAR DOOR OPENING	
	Exterior	Interior	Exterior	Interior	Exterior	Interior	Height	Width
<b>Ft in</b>	19' 10 1/2"	19' 1"	8' 0"	7' 4 3/16"	8' 0"	7' 8"	81"	89"
<b>Metric</b>	6,058	5,817	2,438	2,240	2,438	2,337	2,058	2,270

	TARE WEIGHT (Lathe / Mill)	PAYLOAD (Lathe / Mill)	GROSS WEIGHT (Lathe / Mill)	CUBIC CAPACITY (Lathe + Mill)
<b>Lbs</b>	14,040 / 14,610	960 / 390	15,000 / 15,000	405 Cu. Ft.
<b>Kgs</b>	6,368 / 6,627	435 / 177	6,803 / 6,803	11.5 Cu.M.

ALL DIMENSIONS AND WEIGHTS ARE NOMINAL AND SUBJECT TO MINOR VARIATIONS THAT MAY OCCUR DURING THE MANUFACTURING PROCESS

ISO 9001



CERTIFIED QUALITY  
MANAGEMENT SYSTEM