

# SEA BOX, INC

distributor of



## Conextra

INSTANT SHELF BRACKETS & PIPE RACKS

 Contract Holder

802 Industrial Hwy, East Riverton, NJ 08077

1-800-SEA-BOX-8

[www.seabox.com](http://www.seabox.com)

## □ THREE EASY STEPS

ONE



TWO



THREE



SEA BOX, INC

1-800-SEABOX -8

[WWW.SEABOX.COM](http://WWW.SEABOX.COM)

# COMPLETED SHELVES

series 3210 shelf bracket



3- shelf levels – 2 (2” x 10”) planks each level

SEA BOX, INC      1-800-SEABOX -8      WWW.SEABOX.COM

## PRODUCT OVERVIEW

**22XX Series:** Designed as the result of input received from several managers of national retail outlets to make use high space in container and leave room on the floor for palletized material. This line will allow pallets as tall as 48” to be stored under the shelves.


**2208 Shelf Bracket:** A two-shelf unit that uses 2 - 2 x 8 pieces of construction grade material per shelf. This results in a shelf that is 14 ½” deep. The load rating is 600 lbs. per bracket arm and 1200 lbs. per bracket. Two brackets means you have 2400 lbs. shelves.

**2210 Shelf Bracket:** A two-shelf unit that uses 2 - 2 x 10 pieces of construction grade material per shelf. This results in a shelf that is 18 ½” deep. The load rating is 550 lbs. per bracket arm and 1100 lbs. per bracket. Two brackets means you have 2200 lbs. shelves.

**2212 Shelf Bracket:** A two-shelf unit that uses 2 - 2 x 12 pieces of construction grade material per shelf. This results in a shelf that is 22 ½” deep. The load rating is 500 lbs. per bracket arm and 1000 lbs. per bracket. Two brackets means you have 2000 lbs. shelves.

SEA BOX, INC      1-800-SEABOX -8      WWW.SEABOX.COM

# PRODUCT OVERVIEW



SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

# PRODUCT OVERVIEW


- ❑ **32XX Series:** Our original product design that provides varied shelf heights to accommodate a wide variety of items. This line will allow items as large as 30” tall to be stored on the floor under the shelves. (Height varies depending on D-ring configuration)
- ❑ **3208 Shelf Bracket:** A three-shelf unit that uses 2- 2 x 8 pieces of construction grade material per shelf. This results in a shelf that is 14 ½” deep. The load rating is 600 lbs. per bracket arm and 1200 lbs. per bracket. Two brackets means you have 2400 lbs. shelves.
- ❑ **3210 Shelf Bracket:** A three-shelf unit that uses 2- 2 x 10 pieces of construction grade material per shelf. This results in a shelf that is 18 ½” deep. The load rating is 550 lbs. per bracket arm and 1100 lbs. per bracket. Two brackets means you have 2200 lbs. shelves.
- ❑ **3212 Shelf Bracket:** A three-shelf unit that uses 2- 2 x 12 pieces of construction grade material per shelf. This results in a shelf that is 22 ½” deep. The load rating is 500 lbs. per bracket arm and 1000 lbs. per bracket. Two brackets means you have 2000 lbs. shelves.

SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW



SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

- **C Series:** Originally conceived to allow in the organization of electric al conduit, these units are being used by Electrical, Mechanical, Fire Suppression, General Contractors, and more.
- **5000C Pipe Rack Bracket:** Five support arms, mounted at 30 degrees to the upright for high volume storage capability, includes bracing on each arm to increase load capability and a roll stop for enhanced safety. This unit maximizes the use of wall space and provides approximately 8” of clear space on the floor below.
- **4000C Pipe Rack Bracket:** Four support arms, configured the same as the 5000C. This unit increases the useable floor space below to approximately 24”.

SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

---



SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

---

- 2000AB Apparel/Bike Bracket: Designed to add further organization options for the retail market, this is a two-arm bracket that accepts standard 1” GRC (galvanized rigid conduit) as support rod from which apparel may be suspended two layers high. With the use of our accessory BSH (Bicycle Storage Hook) this bracket will accept the storage of bikes as well. Different configurations can be set up to accept apparel and bikes easily within the same container, along the same wall.

SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

---



SEA BOX, INC

1-800-SEABOX -8

[WWW.SEABOX.COM](http://WWW.SEABOX.COM)

## PRODUCT OVERVIEW

---

- SB3210FSS: File Storage System designed specifically to organize archived file boxes efficiently within containers. Load rated at 600 lbs. per bracket arm and 1800 lbs per bracket. This will accommodate full sized bankers boxes. This unit is designed to accept 2 – 2 x 10 pieces of construction grade material per shelf.

SEA BOX, INC

1-800-SEABOX -8

[WWW.SEABOX.COM](http://WWW.SEABOX.COM)



## PRODUCT OVERVIEW



SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

- **Accessories:** We currently offer a line of accessories that allow you to install our brackets inside and/or outside of containers, create a semi-permanent installation yet require no container modifications and store specialty items.
- **EBM (External Bracket Mount):** Simply slip this bracket into the corner casting of your container, and suspend any of our brackets from it. It is ideal for the “secured” job site. Imagine useful storage not only inside but outside the box.

SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

---



SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

---

- BSH (Bicycle Storage Hook): An “S” hook with a 90-degree twist between the two ends of the “S” that marries with the model 2000AB for storage of bikes. This has a rubberized vinyl end to protect the bike at the point of support and the same durable finish on the other end. Imagine storing upwards of a hundred bikes in a 40-foot container in less than an hour, and they are all accessible and undamaged.

SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM



## PRODUCT OVERVIEW



SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

- Stay Straps (SS-XXX): There are different models of stay straps cut to fit between the lower end of the bracket and the lower D-ring and secure the respective bracket in place during transport. These stay straps have a cast steel cam buckle for positive easy installation and removal. They have been sized to provide sufficient length to tighten during installation, and minimize impact on space.
- SS30 used for securing the 5000C pipe rack on the interior of the container.
- SS66 used for securing the 4000C pipe rack & 32XX series of brackets on the interior of the container.
- SS102 used for securing the 2000AB and 22XX series of brackets on the interior of the container.
- SS120 used for securing the 2000AB and 22XX series of brackets on the interior of the high cube container.

SEA BOX, INC

1-800-SEABOX -8

WWW.SEABOX.COM

## PRODUCT OVERVIEW

---



SEA BOX, INC

1-800-SEABOX -8

[WWW.SEABOX.COM](http://WWW.SEABOX.COM)