



SEA BOX®


Quadcon Dry Freight ISO Cargo Container

SB812-SG-6TSH
Quadcon Dry Freight ISO Cargo Container

PRODUCT FEATURES

STANDARD FEATURES

- Corrugated steel sides, roof + swing doors on both sides
- (4) way fork lift pockets
- Wall tie down steel lashing rings, 2,000 lbs. cap. tested at 3,000 lbs. each (16 total)
- Adjustable shelving brackets (3) sets: (6) vertical E-track sections (3 per side) (3) Full size shelving system provides (6) each transverse shelf halves, with non-slip polyurea surface coating (light grey color) (8) each recessed tie down bars per shelf half Each full size shelving system is rated at 2,000 lbs. capacity
- (11) each Shoring and Deck beams
- (48) each Nylon Web Straps with ratchets 48" L x 1 1/2" W x 3/16" D
- (4) each Caster Wheels, (2) swivel & (2) fixed 10" diameter wheel, 1/2" thick rubber tire 3,000 lbs. working load each, 12,000 lbs. capacity total All equipped with brakes and twist locks
- (2) each Caster Wheel storage brackets
- (4) each Container Coupler (Horizontal Twistlocks)
- (2) each Container Coupler Storage Bracket
- (2) Vents (one per door panel)
- OD Green #34088 exterior, Sea Foam Green #24533 interior paint
- Quadcon containers are manufactured to ISO standards for 9 high stacking
- Dry freight container, all Corten Steel Monocoque construction
- Conforming to ISO 668 + 1496 CSC Certified



(4) Quadcon Containers coupled together to form (1) 20' ISO Module

OPTIONAL FEATURES

- Additional Transverse Shelf Halves
- Additional Shoring and Decking beams
- Additional Nylon Web Straps with ratchets

ALL NEW CONTAINERS ARE MANUFACTURED TO THE LATEST ISO STANDARD

	LENGTH		HEIGHT		WIDTH		DOOR OPENING	
	Exterior	Interior	Exterior	Interior	Exterior	Interior	Height	Width
Ft in	4' 9 3/8"	4' 7 7/8"	6' 10"	6' 2 3/8"	8' 0"	7' 6 9/16"	5' 10 1/2"	4' 5 5/8"
Metric	1,457	1,419	2,083	1,889	2,438	2,300	1,791	1,362

	TARE WEIGHT	PAYLOAD	GROSS WEIGHT	CUBIC CAPACITY
Lbs	1,800	9,400	11,200	217.8 Cu. Ft.
Kgs	816	4,264	5,080	6.17 Cu.M.

ALL DIMENSIONS AND WEIGHTS ARE NOMINAL AND SUBJECT TO MINOR VARIATIONS THAT MAY OCCUR DURING THE MANUFACTURING PROCESS

ISO 9001:2008



CERTIFIED QUALITY MANAGEMENT SYSTEM